

Supplementary Table 5. Hazard ratio for all-cause and other mortality by diagnosed diabetes category ($n = 15,223$)

Cause of death/ diagnosed diabetes	No. of deaths	Adjusted model ^a		
		aHR	LL	UL
All-cause	2,042			
Yes	480	1.54	1.38	1.71
No	1,562	1.00	1.00	1.00
<i>P</i> value		<0.01		
CVD	409			
Yes	102	1.58	1.25	2.00
No	307	1.00	1.00	1.00
<i>P</i> value		<0.01		
Cancer	483			
Yes	81	1.08	0.85	1.39
No	402	1.00	1.00	1.00
<i>P</i> value		0.53		
CLRD	117			
Yes	25	1.55	0.98	2.45
No	92	1.00	1.00	1.00
<i>P</i> value		0.06		
Accidents	58			
Yes	8	0.94	0.44	2.00
No	50	1.00	1.00	1.00
<i>P</i> value		0.86		
CeVD	128			
Yes	28	1.30	0.83	2.04
No	100	1.00	1.00	1.00
<i>P</i> value		0.26		
AD	56			
Yes	5	0.75	0.30	1.91
No	51	1.00	1.00	1.00
<i>P</i> value		0.55		
Flu & pneumonia	47			
Yes	18	3.11	1.67	5.79
No	29	1.00	1.00	1.00
<i>P</i> value		<0.01		
Kidney disease	51			
Yes	19	2.29	1.23	4.25
No	32	1.00	1.00	1.00
<i>P</i> value		<0.01		

aHR, adjusted hazard ratio; LL, lower 95% confidence limit; UL, upper 95% confidence limit; CVD, cardiovascular disease; CLRD, chronic lower respiratory disease; CeVD, cerebrovascular disease; AD, Alzheimer's disease; Flu, influenza.

^aModel was adjusted for sex, age, body mass index, smoking status, alcohol-use status, history of cancer, cardiovascular disease, cerebrovascular disease, and lung disease.