

Supplementary Table 6. Hazard ratio for all-cause and other mortality by diagnosed diabetes category ($n = 15,513$)

Cause of death/ diagnosed diabetes	No. of deaths	Adjusted model ^a		
		aHR	LL	UL
All-cause	2,042			
Yes	480	1.68	1.51	1.86
No	1,562	1.00	1.00	1.00
<i>P</i> value		<0.01		
CVD	409			
Yes	102	1.81	1.44	2.28
No	307	1.00	1.00	1.00
<i>P</i> value		<0.01		
Cancer	483			
Yes	81	1.08	0.85	1.37
No	402	1.00	1.00	1.00
<i>P</i> value		0.54		
CLRD	117			
Yes	25	1.57	1.00	2.46
No	92	1.00	1.00	1.00
<i>P</i> value		0.05		
Accidents	58			
Yes	8	0.92	0.43	1.96
No	50	1.00	1.00	1.00
<i>P</i> value		0.83		
CeVD	128			
Yes	28	1.52	0.99	2.32
No	100	1.00	1.00	1.00
<i>P</i> value		0.06		
AD	56			
Yes	5	0.67	0.27	1.70
No	51	1.00	1.00	1.00
<i>P</i> value		0.40		
Flu & pneumonia	47			
Yes	18	3.54	1.94	6.46
No	29	1.00	1.00	1.00
<i>P</i> value		<0.01		
Kidney disease	51			
Yes	19	2.95	1.66	5.26
No	32	1.00	1.00	1.00
<i>P</i> value		<0.01		

aHR, adjusted hazard ratio; LL, lower 95% confidence limit; UL, upper 95% confidence limit; CVD, cardiovascular disease; CLRD, chronic lower respiratory disease; CeVD, cerebrovascular disease; AD, Alzheimer's disease; Flu, influenza.

^aModel was adjusted for sex, age, body mass index, smoking status, alcohol-use status, and National Health and Nutrition Examination Survey data release cycle.