

Supplementary Table 1. Correlations of circulating ApoJ with other metabolic and anthropometric parameters at baseline

Variable	<i>r</i>	<i>P</i> value
SBP	0.077	0.665
DBP	0.267	0.128
HbA1c	0.286	0.079
Total cholesterol	-0.145	0.414
LDL-C	-0.227	0.197
HDL-C	0.302	0.048
Triglyceride ^a	0.165	0.358
HOMA-IR ^a	0.297	0.067
Weight	0.224	0.191
BMI	0.263	0.120
WC	0.242	0.137
Total fat mass	0.271	0.109
Android fat mass	0.206	0.261
Total lean mas	-0.243	0.131
ASM	-0.269	0.114
ASM/wt	-0.332	0.019

Data represent Spearman's rank correlation coefficient values and *P* values.

ApoJ, apolipoprotein J; SBP, systolic blood pressure; DBP, diastolic blood pressure; HbA1c, glycosylated hemoglobin; LDL-C, low-density lipoprotein cholesterol; HDL-C, high-density lipoprotein cholesterol; HOMA-IR, homeostatic model assessment of insulin resistance; BMI, body mass index; WC, waist circumference; ASM, appendicular skeletal muscle mass; wt, weight.

^aLogarithm-transformed values were used for comparison.